



— PRODUCT DATA SHEET

P5



P5

PRODUCT DESCRIPTION

Whether you are looking for a lost tool in your garden shed or need a backup light at work: The Ledlenser P5 has your back. Our no-nonsense flashlight comes with a focus function to make sure you always have the right light for each range and use case and has a handy clip for attaching it to your clothes. Besides, all aluminium components are made of 75 % recycled material.



- Compact flashlight with focus function (Advanced Focus System) and three brightness levels
- Operates with an AA alkaline battery
- Intuitive operation via End Cap Switch
- Sustainable: Use of 75 % recycled aluminium⁹ and 7-year warranty*
- Handy clip for attaching the flashlight to your clothes

TECHNICAL DATA	
Weight incl. batteries [g]	80
Material	Aluminum alloy
Luminous range [mm]	119
Luminous range (focused) [mm]	124
Tube diameter [mm]	19
Head diameter [mm]	26
POWER SUPPLY	
Battery quantity	1
Rechargeable	No
Battery type	Alkaline
Total battery voltage [V]	1.5
Total battery capacity [mAh]	0
Total battery energy [Wh]	0 Wh
Useable batteries	AA NiMH 1.2V
FURTHER SPECIFICATIONS	
IP class	IP54
Drop test (drop height) [m]	2
Working temperature range [°C]	-20 to +40

LIGHT FUNCTIONS		
Cool White Main: Power, Mid power, Low power		
LIGHT SOURCE		MAIN
Amount LEDs	1	
Color	Cool White	
Color temperature [K]	6000 to 7500	
Color rendering index (CRI)	70	
LIGHT VALUES - Cool White Main		
	Power	Mid power
Light output [lm]	200	80
Beam distance [m]	170	100
Run time [h]	2	3.5
SWITCH		
End-cap Switch		
FEATURES		
Brilliant Clarity, Sustainable, Fixation Clip		

P5

PACKAGING AND LOGISTICS



For illustration purposes only

PACKAGING INFORMATION

Type of packaging	Box
Scope of delivery	1 set of batteries (AA)
Item No.	503100
Color	Black
MSRP price (€)	49,90
Customs tariff number	CTN_85131000

SINGLE PACKAGE

Dimensions W x H x D [cm]	14.5 x 8.5 x 4.2
Gross weight [g]	127.5
GTIN-13	4058205037044

EXPORT CARTON

Unit	24
Dimensions W x H x D [cm]	37.5 x 17 x 31
Gross weight [g]	3720
GTIN-13	4058205037020

P5

ACCESSORIES

PRODUCT CATEGORY	ITEM NO.	PRODUCT NAME	PRICE
Color filters & Signal caps	0040	Signal Cone 37mm	6.90 €
Mounts & Brackets	0317	Intelligent Clip Type C	8.90 €
Bags & Holsters	0333	Pouch Type A	9.90 €
Bags & Holsters	0323	Tactical Professional Holster Type B	34.90 €
Mounts & Brackets	0362	Universal Mounting System	14.90 €

P5

SPARE PARTS

PRODUCT CATEGORY	ITEM NO.	PRODUCT NAME	PRICE
Spare Parts / Products	900023	Rear Cap w. Clip f. P5	9.90 €
Spare Parts / Products	900024	Lamphead f. P5	7.90 €

P5

PRODUCT SERIES

Powerful flashlights for those who push boundaries—the discerning enthusiasts, the industrious workers, the bold adventurers and the forward-thinkers. Lights that bridge the gap between the epic and the technical. In your hand, they do more than shine—they guide your path, reveal the unknown and empower you to explore, discover and redefine what is possible. Pioneering Brilliance. The P-Series: Redefined.

P5

FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

*) 7 year warranty only if registered, otherwise 2 years.
Warranty conditions viewable at <https://ledlenser.com/en/infos-service/warranty/>

1) Measured values according to ANSI/PLATO FL 1 in the respective setting named. If no setting is specifically named, the luminous flux (lumens/lm) and range (meters/m) values refer to the brightest setting and the burn time (hours/h) values refer to the lowest setting. A boost function (if available) can be used several times, but is only available for a short time at a time. In case the lamp is equipped with colored LED(s), the measured values are given with white light or the white LED. If the lamp has different energy modes, the "energy saving mode" is the basis for the measurement.

9) All aluminium components are made of at least 75 % recycled aluminium and may thus vary in surface structure and color.