



— PRODUCT DATA SHEET

P5R



P5R

PRODUCT DESCRIPTION

Do you need a light to shine your way through the park at night or keep you company when you are working in the house or garden? The Ledlenser P5R is a strong option. The compact yet powerful flashlight has a focus function to adapt the light to each range and use case. You can also use both rechargeable and disposable batteries and easily operate the flashlight with one button. And: The high-quality housing is made of 75 % recycled aluminium.



- Compact rechargeable flashlight with focus function (Advanced Focus System)
- Dual Power Source: Operates with rechargeable or disposable batteries, charging via USB-C
- Intuitive operation with one button
- Sustainable: Use of 75 % recycled aluminium⁹ and 7-year warranty*
- Element-proof: High water and dust resistance (IP68)

TECHNICAL DATA		LIGHT FUNCTIONS	
Weight incl. batteries [g]		99	
Material		Aluminum alloy	
Luminous range [mm]		121	
Luminous range (focused) [mm]		125	
Tube diameter [mm]		22	
Head diameter [mm]		30	
POWER SUPPLY		LIGHT SOURCE	
Battery quantity		Amount LEDs	
Rechargeable		1	
Battery type		Color	
Total battery voltage [V]		Cool White	
Total battery capacity [mAh]		Color temperature [K]	
Total battery energy [Wh]		6000 to 7500	
Battery replaceable		Color rendering index (CRI)	
Charging time [min]		70	
Useable batteries		LIGHT VALUES - Cool White Main	
Energy status indicator		Boost	Power
Battery Indicator, Charge Indicator, Low Battery Warning		350	100
		Beam distance [m]	25
		280	180
		Run time [h]	100
		-	50
		1	4
		4	20
FURTHER SPECIFICATIONS		SWITCH	
IP class		Front Switch	
Drop test (drop height) [m]			
2			
Working temperature range [°C]		FEATURES	
-20 to +40		Brilliant Clarity , Sustainable, Dual Power Source, Element-proof, USB-C Charging, Transportation Lock	

P5R

PACKAGING AND LOGISTICS



For illustration purposes only

PACKAGING INFORMATION

Type of packaging	Box
Scope of delivery	1 set of rechargeable batteries (14500), Adjustable hand strap, Charging cable (USB-C)
Item No.	503109
Color	Black
MSRP price (€)	74,90
Customs tariff number	CTN_85131000

SINGLE PACKAGE

Dimensions W x H x D [cm]	14.5 x 8.5 x 4.2
Gross weight [g]	171
GTIN-13	4058205037310

EXPORT CARTON

Unit	24
Dimensions W x H x D [cm]	37.5 x 17 x 31
Gross weight [g]	4760
GTIN-13	4058205037297

P5R

ACCESSORIES

PRODUCT CATEGORY	ITEM NO.	PRODUCT NAME	PRICE
Chargers & Cables	502929	USB-C Adapter 20W	19.90 €
Mounts & Brackets	502249	Lamp Adapter Type B	4.90 €
Color filters & Signal caps	502239	Color Filter Set 29.5mm	18.90 €
Bags & Holsters	0333	Pouch Type A	9.90 €
Batteries & Accumulators	503242	14500 Li-Ion rechargeable battery 920 mAh	14.90 €
Mounts & Brackets	0362	Universal Mounting System	14.90 €

P5R

SPARE PARTS

PRODUCT CATEGORY	ITEM NO.	PRODUCT NAME	PRICE
Fastenings / Spare Parts / Products	SP502190_AL	Adjustable Lanyard	0.00 €
Charger / Spare Parts / Products	SP502910_USB	Charging Cable USB-C to USB-C	5.90 €
Batteries / Spare Parts / Products	900007	14500 Li-ion rechargeable battery	14.90 €
Protections / Spare Parts / Products	900012	Protective Elements Set Type C	3.90 €

—P5R

PRODUCT SERIES

Powerful flashlights for those who push boundaries—the discerning enthusiasts, the industrious workers, the bold adventurers and the forward-thinkers. Lights that bridge the gap between the epic and the technical. In your hand, they do more than shine—they guide your path, reveal the unknown and empower you to explore, discover and redefine what is possible. Pioneering Brilliance. The P-Series: Redefined.

P5R

FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

*) 7 year warranty only if registered, otherwise 2 years.
Warranty conditions viewable at <https://ledlenser.com/en/infos-service/warranty/>

1) Measured values according to ANSI/PLATO FL 1 in the respective setting named. If no setting is specifically named, the luminous flux (lumens/lm) and range (meters/m) values refer to the brightest setting and the burn time

(hours/h) values refer to the lowest setting. A boost function (if available) can be used several times, but is only available for a short time at a time. In case the lamp is equipped with colored LED(s), the measured values are given with white light or the white LED. If the lamp has different energy modes, the "energy saving mode" is the basis for the measurement.

2) Calculated value of the capacity in watt-hours (Wh). This applies to the battery(ies) contained in the delivery condition of the respective item or, in the case of lamps with rechargeable battery, to the battery(ies) contained herein in a fully charged condition.

9) All aluminium components are made of at least 75 % recycled aluminium and may thus vary in surface structure and color.